



Specifications Noxion LED Panel  
Louvre Excell Pronox 34W 3550lm -  
830 Warm White | 60x60cm - UGR 152  
- Dali Dimmable

[View Product](#)

## General Information

SKU	235758
EAN	8719157006507
Brand	Noxion
Manufacturer Name	Noxion LED Louvre Excell G2. 34W 3000K 600 Polish DALI (4x14W eqv.)
Any Lamp all-in warranty	6 Years
Average Lifetime (h)	70000
Series	Louvre Excell

## Technical Information

Technology	LED Integrated
Replaces (Watt)	4x18
Wattage	34
Voltage (V)	220-240
Dimmable	Dimmable with Dali
Colour Code	830 Warm White
Colour temperature (Kelvin)	3000 Warm White
Colour Rendering (Ra)	80-89
Colour of Light	White
Light colour options	Single Color
Luminous Flux (Lumen)	3550

Luminous Efficacy (lm/W)	104.4
Suitable for Outdoor	No
IP-rating	IP20
Impact Protection (IK)	IK02 - 0.20 joule
Fixture Connection	Terminal, 2-pole (MAINS)   2-pole (DIM)
Finish of Reflector	Gloss
Driver Included	Yes
Power factor	>0.90
Product Type Category	LED Panel

## Fixture Information

---

Mounting Method	Recessed
Unified Glare Rating	< 15 - for special applications
Optical Cover	PET (Polyethylene Terephthalate)
Operating Temperature	-20 to +50
Emergency Lighting	No Emergency Unit
Colour of the Fixture	White
Housing	Steel
Colour of material	White

## Dimensions

---

LED panel size	60x60cm
Length (mm)	595
Width (mm)	595
Height (mm)	55

## Sensor Information

---

Type of sensor

No Sensor

## Why Any-lamp?



Order from the **largest lighting specialist** in Europe



**Customised** quotation



Up to **7 years warranty**



**Easy** return process

